OceanCube's Observation Nodes Data Display on Grafana

Introduction: Grafana, an open-source visualization tool is used to monitor the Ocean Cube observations data. Grafana was built on the principle that data should be accessible to everyone in your organization, not just the single Ops person. By democratizing data, Grafana helps to facilitate a culture where data can easily be used and accessed by the people that need it, helping to break down data silos and empower teams. Grafana allows teams to seamlessly correlate and visualize all your data.


All OceanCube's observation nodes data is stored in the USM owned PostgreSQL database via various data transmission mediums. Stored data is queried from Grafana panels to visualize the data. Each observation node has dashboards and panels designed specifically for them. Currently, the Ocean Cube has Viking, WaveRider, Iver, and HRSN observation nodes. Each node has its own dashboard where all the data panels for that particular observation node are present.


Depending on the WiFi network you are connected to, use below addresses to go to the OceanCube Data page

USM Network: local.theoceancube.com

External Networks: theoceancube.com

Please follow below instructions to familiarize with Grafana so you get full benefits of OceanCube data.





Data Access: Here we discuss how to access each observation node data, how to switch from one node to another, how to access data on each panel, how to change time-frame and other features.

Figure 1 is the default web page that is loaded when you are on the link. This web page is the "HRSN All Sensors Data" dashboard where you have several panels created for each sensor in the network. In figure 1 you can see ADCP, CTDA, CTDB, and Tidal Sensor panels. You can go to the OceanCube modelling

page by clicking on the appropriate button depending on the WiFi network you are connected to as shown in figure 1.

View Single Panel: To view just a single panel, click on the view button of any panel that you are interested in as shown in Figure 2. By clicking on view, maximized single panel will be shown as in Figure 3.




Figure 2: View CTDA Panel




Figure 3: Single panel view

In addition, you can also select the instrument that you are interested in to view in the "instrument" drop box along with the variables that you want to view as shown in Figure 4.

Device: VAK Controller - Unstrument	Variable All -			Cocean Cube: USM Netw	oork 🕐 Ocean Cube : External Netw
Nortek ADCP 2.000 K	Selected (1)	STDA CTD	CTDB CTD 2.000 K	RB	R Coda3 D Tidal Sensor
1.000 K	Nortek ADCP		T 500 K 1 000 K 500 000	10.170	Januar Maria
500.000 0 0400 0000 = analog.input.10 = analog.input.20 = battery.yuttage(vit) = beding (degree	CTDB CTD RBR Coda3 D Tidal Sensor TR1A Temp 1 TR1A Temp 2	0800 1200 mere, per, centimeter) pdo, temperature (degree, Celsus)	- conductivity (millisiemens, per_centimeter)	10.160 2.00 10.150	/
 pitch (degree) - pressure (deober) - tound_speed (meter_per_second) temperature (decree Palaint) 	TR18 Temp 1	si (monomal, per, liter) servent) — pressure (decibar) sen menouse (decibar)	 oxygen_concentration (micromol.per_liter) oxygen_saturation (percent) — pressure (decition) satirity (n/ini) — sea messure (decition) 	10,140	94.00 08.00 12.00 (Bar)
BB HRSN Dashboards / HRSN All Center VAK Controller - Instrument	-	\rightarrow		C Ocean Cube 1/514 No	
	CTDA CTD ~ Vertable	Selected (1)	CTDA CTD		
Device VAK Controller Training of the second sec	CTDA CTD - Vesate	All	CTDA CTD		
Device VAK Controller - Instrument	CTDA CTD - Verlaht	All temperature oxygen_saturation	CTDA CTD		
Denice VAK Controller - Instrument	CTDA CTD - Vyeak	All temperature oxygen_seturation speed_of_sound pressure	стра стр		
Denice VAK Controller - Instrument	CTDA CTD - Verlaht	All temperature onygen_saturation speed_of_sound pressure odo_temperature aca_pressure depth Loon	0700 08:00 0700 eemators(micronol.percetarustion (percen	C Ocean Cube: USM No	Toeorik C Doean Cube : External Ne
Device VAK Controller	CTDA CTD - Verlah	All temperature oxygen_saturation speed_of_sound pressure do_temperature asa_pressure depth Loon	0700 0900	C Ocean Cube: USM No	

Figure 4: Selecting Instrument and variables

Once the desired instrument and variables are selected the panel looks as in Figure 5.




Figure 5: CTDA CTD Salinity data plot

Select Time Range: You can choose to view the data at a particular time in the past by changing the time range. To change the time range choose the time span you are interested in the time field as shown in figure 6.

Device VAK Controller ~ Instrument All ~	Variable All ~		Absolute time range From	Relative time ranges Last 5 minutes	ternal Net
Nortek ADCP	CTDA CTD		now-6h	Last 15 minutes	
2.000 K	2.000 K	2.000 K	То	Last 30 minutes	
1.000 K	1.500 K	1.000 K	now	Last 1 hour	****
500.000	500.000	500.000	Apply time range	Last 3 hours	
0 **************************** 08:00 10:00 12:00	0 08:00 10:00 12:00	-500.000	Recently used absolute ranges	Last 6 hours ✓ Last 12 hours	
 analog_input_1 () - analog_input_2 () battery_voltage (volt) - heading (degree) 	 conductivity (millislemens_per_centimeter) depth (meter) - odo_temperature (degree_Celsius) 	- conduc - depth (2019-11-28 18:00:00 to 2019-11-30 18:00:00	Last 24 hours	
 pitch (degree) = pressure (decibar) = roll (degree) sound_speed (meter_per_second) temperature (degree Celsius) 	 oxygen_concentration (micromol_per_liter) oxygen_saturation (percent) — pressure (decibar) salinity (n/kn) — sea pressure (decibar) 	 oxygen oxygen salinity 	2019-11-29 00:00:00 to 2019-12-01 00:00:00	Last 2 days	
TR1A Temp 1	TR1A Temp 2		2019-12-01 00:00:00 to 2019-12-04 11:00:00	Last 7 days	
29.000	29,000	29.000	Browser Time United States, CDT	UTC-05:00 Change time zone	

Figure 6: Selecting time range

One can also choose the data received recently from the predefined time ranges as well as shown in the figure 6.

Download Data: You can download any data that you seen on the Grafana. To download the data displayed on a panel, click on the "data" button as shown in the figure 7. When you click on the "data" button, a pop up window with the time series data data column shows up as shown in figure 8. On this pop-up window, chose the variable you are interested in to download and click on the download CSV button to download the data in CSV format. You can also select "series joined by time" as shown in figure 9 to select all the parameters in that particular panel to be downloaded.




Figure 7: Data download button

Data Stats JSON Data options conductivity (millisiemens_per_centimeter), Formatted data Download Time conductivity (millisiemens_per_centim Download 2021-07-08 08:00:03 conductivity (millisiemens_per_centim 2021-07-08 08:15:03 0.00 2021-07-08 08:30:03 0.00 2021-07-08 08:45:03 0.00 2021-07-08 09:00:03 0.00 2021-07-08 09:00:03 0.00 2021-07-08 09:15:03 0.00 2021-07-08 09:15:03 0.00 2021-07-08 09:15:03 0.00 2021-07-08 09:15:03 0.00 2021-07-08 09:15:03 0.00 2021-07-08 09:15:03 0.00 2021-07-08 09:15:03 0.00 2021-07-08 09:15:03 0.00 2021-07-08 09:15:03 0.00 2021-07-08 09:15:03 0.00 2021-07-08 10:15:03 0.00 2021-07-08 10:15:03 0.00 2021-07-08 10:15:03 0.00 2021-07-08 10:15:03 0.00	<
Time conductivity (millisiemens_per_centin 2021-07-08 08:00:03 0.00 2021-07-08 08:15:03 0.00 2021-07-08 08:30:03 0.00 2021-07-08 08:45:03 0.00 2021-07-08 09:00:03 0.00 2021-07-08 09:00:03 0.00 2021-07-08 09:15:03 0.00 2021-07-08 09:15:03 0.00 2021-07-08 09:30:03 0.00 2021-07-08 09:45:03 0.00 2021-07-08 10:00:03 0.00 2021-07-08 10:00:03 0.00	
2021-07-08 08:00:03 0.00 2021-07-08 08:15:03 0.00 2021-07-08 08:30:03 0.000 2021-07-08 08:30:03 0.000 2021-07-08 08:45:03 0.000 2021-07-08 09:00:03 0.000 2021-07-08 09:15:03 0.000 2021-07-08 09:30:03 0.000 2021-07-08 09:45:03 0.000 2021-07-08 09:45:03 0.000 2021-07-08 09:45:03 0.000 2021-07-08 10:15:03 0.000	csv
2021-07-08 08:15:03 0.000 2021-07-08 08:30:03 0.000 2021-07-08 08:45:03 0.000 2021-07-08 09:00:03 0.000 2021-07-08 09:15:03 0.000 2021-07-08 09:30:03 0.000 2021-07-08 09:30:03 0.000 2021-07-08 09:45:03 0.000 2021-07-08 09:45:03 0.000 2021-07-08 10:00:03 0.000 2021-07-08 10:00:03 0.000	eter)
2021-07-08 08:30:03 0.000 2021-07-08 08:45:03 0.000 2021-07-08 09:00:03 0.000 2021-07-08 09:15:03 0.000 2021-07-08 09:30:03 0.000 2021-07-08 09:30:03 0.000 2021-07-08 09:45:03 0.000 2021-07-08 10:00:03 0.000 2021-07-08 10:15:03 0.000	110
2021-07-08 08:45:03 0.000 2021-07-08 09:00:03 0.000 2021-07-08 09:15:03 0.000 2021-07-08 09:30:03 0.000 2021-07-08 09:45:03 0.000 2021-07-08 10:00:03 0.000 2021-07-08 10:15:03 0.000	100
2021-07-08 09:00:03 0.000 2021-07-08 09:15:03 0.000 2021-07-08 09:30:03 0.000 2021-07-08 09:30:03 0.000 2021-07-08 09:45:03 0.000 2021-07-08 10:00:03 0.000 2021-07-08 10:15:03 0.000	800
2021-07-08 09:15:03 0.000 2021-07-08 09:30:03 0.000 2021-07-08 09:45:03 0.000 2021-07-08 10:00:03 0.000 2021-07-08 10:15:03 0.000	120
2021-07-08 09:30:03 0.000 2021-07-08 09:45:03 0.000 2021-07-08 10:00:03 0.000 2021-07-08 10:15:03 0.000	900
2021-07-08 09:45:03 0.00 2021-07-08 10:00:03 0.000 2021-07-08 10:15:03 0.000	900
2021-07-08 10:00:03 0.000 2021-07-08 10:15:03 0.000	900
2021-07-08 10:15:03 0.00	110
	800
2021-07-08 10:30:03 0.00	110
	110
2021-07-08 10:45:03 0.000	700
2021-07-08 11:00:03 0.000	800

Figure 8: Data download pop-up window

1 qı	spect: CTDA (ueries with total que					
	Data options Show data frame Series joined by tim Series joined by tim conductivity (millis		~	abs Add	ormatted data, Excel header wnload for Excel ds header to CSV for use with	Download CSV
Tir 20: 20: 20: 20: 20:			(3)	meter) 0.0256 0.0295 0.0291 0.0306 0.0317	odo_temperature (de(25.8 26.0 26.1 26.1 26.3	oxygen_concentratio 25 25 25 25 25 25
202 202 202	1-07-08 09:15:03 1-07-08 09:30:03 1-07-08 09:45:03 1-07-08 10:00:03	0.000900 0.000900 0.00110 0.000800		0.0317 0.0305 0.0294 0.0297 0.0291	26.3 26.4 26.6 26.6 26.6	25 25 25 25 25

Figure 9: Selecting all parameters in a panel

View all Dashboard Folders: To view all available dashboards, click on manage tab as shown in the figure 10.




Figure 10: Go to list of all dashboards

Now, you will see all the available dashboards one for each observation node in the OceanCube as shown in figure 11.

Q III	anac	Dashboards Manage dashboards & folders je 몇 Playlists	
	HRSN Iver D Viking	Iashboards by name ■ I = Sort (Default A-Z) ~ Filter by starred Filter by tag I Dashboards ashboards g Dashboards Rider Dashboards	> > > >

Figure 11: Dashboards view

From her, you can select any dashboard to view the data panels pertaining to that observation node. As OceanCube expands, more dashboards will be created and can be seen here.